

# Coolum 600




Min. block width

House length **24.25m** 

House width

Total floor area





# **TURN KEY HOUSE PACKAGE**



Kooringal Homes Inclusions (as at 17.10.2018)

# Interior

# **KITCHENS**

K

- 600mm European under bench oven, hotplates and canopy rangehood.
- 1 <sup>3</sup>/<sub>4</sub> bowl stainless steel sinks including basket waste.
- Dishwasher to kitchen.
- Fully lined base cabinet with post form laminate top.
- Appliances available in stainless steel only.
- Mixer tap to sinks.
- Overhead cupboards with canopy rangehood to kitchens.

## **BATHROOMS & ENSUITE**

- Vitreous china square vanity basins (white).
- Fully lined base cabinet with post form laminate vanity top.
- Acrylic designer bath (white).
- Dual flush vitreous china close coupled toilet suite (white) including skirting pan and enclosed trap.
- Frameless mirrors above vanity benchtop.
- Shower glass pivot doors and colour matched frames with tiled base.
- Lever mixer tapware, shower rose and hand held shower combination and 220mm wallbath outlet.

# LAUNDRIES

- Freestanding 45 litre acrylic tub and cabinet.
- Wall mounted washing machine taps .

**CERAMIC TILING** (FROM BUILDERS' STANDARD RANGE)

- Wall tiles to bathrooms and ensuite shower recesses with feature frieze (refer to plans and specification for details).
- Floor tiles to bathrooms, ensuite, WC and laundry.
- 150mm high skirting tiles to bathrooms, ensuite, WC and laundry (as per working drawing).
- 600mm High splashback to kitchen.
- Min 400mm high splash back to the laundry tub.

# **FLOOR COVERINGS**

Not included.

K

#### **FIXING**

- 42mm MDF bevelled architraves and 67mm MDF bevelled skirting.
- Flush panel doors.
- Lever passage sets and pull handles.
- Vinyl sliding doors to wardrobes (as shown on plans).

# CEILINGS

• 2440mm (overall plates) standard ceiling height.

#### PLASTER

• Cornice – 90mm plaster cove.

#### PAINT

- 3 Coat Application.
- Low sheen acrylic to external timber work.
- Low sheen acrylic to internal walls.
- Flat acrylic white to ceiling.
- Gloss finish to internal woodwork.
- Gloss finish to front entry and internal doors.
- NOTE: Walls, woodwork to be one colour throughout.

#### **ELECTRICAL**

- Double power points and light points as per standard electrical layout.
- Safety switches (earth leakage detector).
- Smoke detectors.
- Telephone point to Kitchen.
- 2 TV points.
- 3 external light points outside living.
- Reverse cycle split system AC unit to family/dining.
- LED energy efficient downlights to all living and bedroom areas.
- Tube LED light with cover to garages.
- Ceiling fans to beds 1, 2, 3, 4
- Separate power supply and conduit for NBN.

#### FOUNDATIONS

- Class 'H' concrete slab (No piering included).
- Part A termite treatment to slab penetrations and part B termite treatment to slab perimeter. As required by council.

# Exterior

#### **WINDOWS & EXTERNAL DOORS**

- Sliding aluminium windows including keyed window locks.
- Entry door (façade specific) refer drawings.
- External door furniture including deadlock.

#### GARAGE

K

- Metal sectional panel lift garage doors with remote control unit including 2 handsets and cradle. (selection of colours).
- Weatherproof hinged flush panel access doors.

#### **INSULATION**

- R2.5 Glasswool batts to ceiling of roof space only.
- Glasswool wall batts including sisalation to external brick veneer walls.

#### **ELECTRIC HOT WATER SERVICES**

• Energy efficient electric heat pump hot water system.

# ROOFING

- Monier tile roof.
- Colorbond fascia & gutter (selection of colours).

## **EXTERNAL**

- Rendered front façade with remaining home in face brickwork and light cladding.
- Brushed concrete to alfresco.
- 2 External taps.

# **CONNECTION COST**

 Connection of services (water, electricity, sewer, telephone, conduit and stormwater) based on 650m2 blocks with 300mm fall and 5m setback. Does not include electricity and telephone/ internet consumer account opening fees.

## STRUCTURAL

• Lifetime Structural Guarantee.



